

Warrill River Water Supply Scheme

Operational Report – Announced Allocation

Effective 01 July 2019

Parameters	Abbreviation	Value	Unit	Remarks
Announced Allocation	AA			
Date of assessment	Date	1/07/2019		
Medium Priority Users	AAMP	100.0%	%	
High Priority Users	AAHP	100.0%	%	
Useable Volume	UV			
Moogerah Dam	MD	45,056	ML	
Warril Creek Weir	WCD	57	ML	
Churchbank Weir	CW	78	ML	
Total useable Volume	UV	45,192	ML	
Storage Volumes at time of assessment	CV			
Moogerah Dam	MD	48,512	ML	
Warril Creek Weir	WCD	92	ML	Overflowing
Churchbank Weir	CW	178	ML	Overflowing
Total	CV	48,782	ML	
Minimum operating volumes				
Moogerah Dam	MD	1,200	ML	
Warril Creek Weir	WCD	14	ML	
Churchbank Weir	CW	53	ML	
Total	MOV	1,267	ML	
Storage Losses	SL			
Moogerah Dam	MD	2,256	ML	
Warril Creek Weir	WCD	21	ML	
Churchbank Weir	CW	47	ML	
Total	SL	2,323	ML	
Scheme Water Allocations	WA			
High priority allocation	HPA	5,950	ML	
Medium Priority Allocation	MPA	20,170	ML	
Medium Priority loss allocation	MPLA	3,714	ML	
Additional Parameters				
Inflow Allowance	IN	2,081	ML	
Reserve Volume	RE	7,000	ML	
The Volume of Water Diverted	DIV(MP+HP)	-	ML	