

These local transfer conditions are to be read in conjunction with the conditions as set out on the Seasonal Water Assignment (Temporary Transfer) Application Form and relevant to the applicable scheme where indicated.

### All Schemes - Loss Adjustments

Under normal conditions there are no loss adjustments. Seqwater will advise applicants if a loss adjustment will be required for example, in extremely dry conditions where high losses may occur with the transfer of the water.

### All schemes - Transfer Adjustment Fee

A Transfer Adjustment Fee, equal to the value of Seqwater's applied irrigation subsidised price or discount to full commercial pricing, may be payable where water is transferred from a regulated irrigation pricing use to a non-irrigation use. It is the responsibility of the parties to any such transfer to contact Seqwater to ascertain this fee in advance of settlement.

### Cedar Pocket Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.

A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Attachment 4 Part 2 Table 4 of the Mary Basin ROP and shown below.

Zone	Maximum allowable water use volume (megalitres)
CPKS1	1,010

*(applicable as at 30 October 2020, may be subject to change)*

### Central Brisbane River Water Supply Scheme – Trading Caps

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.

Water supplied under a seasonal assignment may be used for any purpose.

A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in the total water use in a water year for each zone to exceed the maximum allowable water use volumes as per table 6 of the Central Brisbane River WSS Operations Manual and shown below.

Zone	Maximum allowable water use volume (megalitres)
Brisbane	279,096
Mid-Brisbane	286,376

*(applicable as at 30 October 2020, may be subject to change)*

## Seasonal Water Assignment (Temporary Transfer) Local Conditions for all schemes



### **Central Lockyer Valley Water Supply Scheme – Trading Caps**

The maximum volume the seller may transfer cannot exceed the volume available on the seller’s water account at the time of application.

Water supplied under a seasonal water assignment may be used for any purpose.

Seasonal water assignments between different zones are not permitted.

Seasonal water assignments between different priority groups are not permitted.

There are no trading zone caps in this scheme. *(applicable as at 30 October 2020, may be subject to change)*

### **Logan River Water Supply Scheme – Trading Caps**

The maximum volume the seller may transfer cannot exceed the volume available on the seller’s water account at the time of application.

Water supplied under a seasonal assignment may be used for any purpose.

A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Attachment 5 Table 16 of the Logan Basin ROP and shown in table below.

<b>Zone</b>	<b>Maximum allowable water use volume (megalitres)</b>
BUCSA	730
BUCSB	2,035
LORSA	770
LORSB	4,835
LORSC	4,110
LORSB	8,150
LORSE	6,100
LORSF	385
LORSG	56,856
TVBSA	1,000
TVBSB	500

*(applicable as at 30 October 2020, may be subject to change)*

### **Lower Lockyer Valley Water Supply Scheme – Trading Caps**

The maximum volume the seller may transfer cannot exceed the volume available on the seller’s water account at the time of application.

Water supplied under a seasonal assignment may be used for any purpose.

There are no trading zone caps in this scheme. *(applicable as at 30 October 2020, may be subject to change)*

## Seasonal Water Assignment (Temporary Transfer) Local Conditions for all schemes



### **Mary Valley Water Supply Scheme – Trading Caps**

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.

A water allocation holder may apply for a seasonal water assignment where the proposed seasonal assignment would not result in a use of water allocations outside the cap limitations as per Attachment 4 Part 4 Table 10 of the Mary Basin ROP and shown in table below

<b>Zone</b>	<b>Maximum allowable water use volume (megalitres)</b>
MVASA	13,327
MVASB	23,269
MVASC	6,129
MVASD	20
MVASE	2,294

*(applicable as at 30 October 2020, may be subject to change)*

### **Warrill Valley Water Supply Scheme – Trading Caps**

The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.

Water supplied under a seasonal assignment may be used for any purpose.

There are no trading zone caps in this scheme. *(applicable as at 30 October 2020, may be subject to change)*