

**Warril River Water Supply Scheme**

<b>Parameters</b>	<b>Abbreviation</b>	<b>Value</b>	<b>Unit</b>	<b>Remarks</b>
<b>Announced allocation</b>	<b>AA</b>			
Date of assessment	Date	1/07/2022	dd/mm/yyyy	
Medium Priority Users	AAMP	<b>100.0%</b>	%	
High Priority Users	AAHP	<b>100.0%</b>	%	
<b>Useable volume</b>	<b>UV</b>			
Moogerah Dam	MD	79,546	ML	
Warril Creek Weir	WCD	71	ML	
Churchbank Weir	CW	72	ML	
<b>Total useable Volume</b>	<b>UV</b>	<b>79,689</b>	<b>ML</b>	
<b>Current storage volume</b>	<b>CV</b>			
Moogerah Dam	MD	83,765	ML	
Warril Creek Weir	WCD	110	ML	
Churchbank Weir	CW	170	ML	
<b>Total</b>	<b>CV</b>	<b>84,045</b>	<b>ML</b>	
<b>Minimum operating volume</b>	<b>MOV</b>			
Moogerah Dam	MD	1,200	ML	
Warril Creek Weir	WCD	14	ML	
Churchbank Weir	CW	53	ML	
<b>Total</b>		<b>1,267</b>	<b>ML</b>	
<b>Projected storage losses</b>	<b>SL</b>			
Moogerah Dam	MD	3,019	ML	
Warril Creek Weir	WCD	25	ML	
Churchbank Weir	CW	45	ML	
<b>Total</b>		<b>3,089</b>	<b>ML</b>	
<b>Water allocations</b>	<b>WA</b>			
High priority allocation	HPA	5,950	ML	
Medium Priority Allocation	MPA	20,170	ML	
Medium Priority loss allocation	MPLA	3,714	ML	
<b>Additional parameters</b>				
Inflow Allowance	IN	2,081	ML	
Reserve Volume	RE	3,159	ML	
The Volume of Water Diverted	DIV(MP+HP)	-	ML	
Transmission Losses	TOA	7,559	ML	