

Central Brisbane River Water Supply Scheme

Parameters for AA Calculation	Abbreviation	Value	Unit	Remarks
Application Date	Date	1/07/2023		
AA for Medium Priority	AAMP	100%	%	
AA for High Priority	AAHP	100%	%	
Diversion (Water used during the water year)	DIV			
High Priority Diversion	DIVHP	0	ML	Not part of MP AA calc.
Medium Priority Diversion	DIVMP	0	ML	Not part of MP AA calc.
Useable Volume	UV			
Minimum Operating Volume (combined)	MOV	8,886		
Combined Useable Full Supply Volume	CUFSV	1,354,210		
Wivenhoe Dam CV	CV1	833,991		
Somerset Dam CV	CV2	299,714		
Wivenhoe Dam UV	UV1	691,598	ML	
Someset Dam UV	UV2	234,963	ML	
Useable Volume (total)	UV (total)	926,561	ML	
Storage Loss Volume				
Wivenhoe Dam	SL	137,507	ML	
Somerset Dam	SL	60,751	ML	
Storage Loss (combined)	SL	198,258	ML	Forecast evaporation and seepage from storages
Scheme Water Allocation				
Medium Priority	MPA	7194	ML	
High Priority	HPA	278,847	ML	
Scheme Allocation	MPA+HPA	286,041	ML	