

Warrill River Water Supply Scheme

Parameters	Abbreviation	Value	Unit	Remarks
Announced allocation	AA			
Date of assessment	Date	1/07/2024	dd/mm/yyyy	
Medium Priority Users	AAMP	100.0%	%	
High Priority Users	AAHP	100.0%	%	
Useable volume	UV			
Moogerah Dam	MD	76,718	ML	
Warril Creek Weir	WCD	72	ML	
Churchbank Weir	CW	80	ML	
Total useable Volume	UV	76,870	ML	
Current storage volume	CV			
Moogerah Dam	MD	80,883	ML	
Warril Creek Weir	WCD	112	ML	
Churchbank Weir	CW	180	ML	
Total	CV	81,175	ML	
Minimum operating volume	MOV			
Moogerah Dam	MD	1,200	ML	
Warril Creek Weir	WCD	14	ML	
Churchbank Weir	CW	53	ML	
Total		1,267	ML	
Projected storage losses	SL			
Moogerah Dam	MD	2,965	ML	
Warril Creek Weir	WCD	26	ML	
Churchbank Weir	CW	47	ML	
Total		3,038	ML	
Water allocations	WA			
High priority allocation	HPA	5,950	ML	
Medium Priority Allocation	MPA	20,170	ML	
Medium Priority loss allocation	MPLA	3,714	ML	
Additional parameters				
Inflow Allowance	IN	2,081	ML	
Reserve Volume	RE	3,159	ML	
The Volume of Water Diverted	DIV(MP+HP)	-	ML	
Transmission Losses	TOA	7,559	ML	